

PORTABLE Q-CATCH® 87 SERIES

CHUTE, ALLEY & TUB



 **ARROWQUIP**

WHY ARROWQUIP?

Introducing the new era of cattle handling equipment – the 700 Series. Taking limitless cattle handling to the next level, Arrowquip's newest line of equipment has a solution for every kind of rancher. With infinite options and configurations to choose from, you're guaranteed to achieve maximum efficiency no matter what your operation needs.

MODEL: 8718

WEIGHT: 5990 – 6440 lbs. (Depends on jack and tub options chosen.)

WORKING DIMENSIONS: 115-177" w x 98" h x 525" l (When set up. Depends on tub option chosen.)

TOWING DIMENSIONS: 75" w x 108" h x 460" l (With wheels and hitch.)

MODEL: 8708


WEIGHT: 5070-5530 lbs. (Depends on jack and tub options chosen.)

WORKING DIMENSIONS: 115-177" w x 98" h x 425" l (When set up. Depends on tub option chosen.)

TOWING DIMENSIONS: 75" w x 108" h x 355" l (With wheels and hitch.)

THIS IS LIMITLESS CATTLE HANDLING

Arrowquip's **NEW** Q-Catch 87 Series Portable Chute, Alley & Tub is the perfect solution for ranchers that need access to safe quality equipment anytime, anywhere. With the **NEW** Q-Catch 87 Series cattle chute at the front of the system, you gain maximum control and efficiency even when you're out working alone. This portable unit comes in two lengths - the **NEW** 18' alley and the original 8' alley. The engineers at Arrowquip have spent hundreds of hours researching how to create the perfect collapsible tub that is easy to transport yet strong enough for the toughest bulls. With Arrowquip's **NEW** patented portable system frame, not only is the structure more durable for transportation, but it also makes setting up and taking down the system simpler than ever before.



PRODUCT WARRANTY

- Portable unit - **1 YEAR**
- Patented head gate friction locks – **LIFETIME**
- Patented squeeze friction locks – **LIFETIME**
- Rump fingers – **LIFETIME**
- Rubber floor – **LIFETIME**

Products must be registered to claim warranty. Contact your Authorized Arrowquip Dealer for more information.

CHOOSE YOUR MODEL



Q-CATCH® 87 SERIES CHUTE, 18' ALLEY & TUB

For the ultimate portable cattle handling system, look no further than the Portable Chute, 18' Alley, & Tub. This unit provides you with a longer alley to enhance cattle flow and increase the number of cattle you can work at a time. With more steel, capacity, and features to boost your productivity, you can achieve maximum efficiency even when you're away from home.



Q-CATCH® 87 SERIES CHUTE, 8' ALLEY & TUB

If you don't need the extra section of alley, you will still find the 8' model shorter than the previous 600 Series chute, alley, and tub because of the **NEW** portable system frame, making this portable unit the most compact handling system that is quiet and safe for you and your operation.

	8718	8708
ELECTRIC JACK & 3E BUDFLOW®	WEIGHT: 6440 lbs. WORKING DIMENSIONS: 177" w x 98" h x 525" l (When set up.) TOWING DIMENSIONS: 75" w x 108" h x 460" l (With wheels and hitch.)	WEIGHT: 5530 lbs. WORKING DIMENSIONS: 177" w x 98" h x 425" l (When set up.) TOWING DIMENSIONS: 75" w x 108" h x 355" l (With wheels and hitch.)
ELECTRIC JACK & CROWDING TUB	WEIGHT: 6090 lbs. WORKING DIMENSIONS: 115" w x 98" h x 525" l (When set up.) TOWING DIMENSIONS: 75" w x 108" h x 460" l (With wheels and hitch.)	WEIGHT: 5170 lbs. WORKING DIMENSIONS: 115" w x 98" h x 425" l (When set up.) TOWING DIMENSIONS: 75" w x 108" h x 355" l (With wheels and hitch.)
MANUAL JACK & 3E BUDFLOW	WEIGHT: 6340 lbs. WORKING DIMENSIONS: 177" w x 98" h x 525" l (When set up.) TOWING DIMENSIONS: 75" w x 108" h x 460" l (With wheels and hitch.)	WEIGHT: 5430 lbs. WORKING DIMENSIONS: 177" w x 98" h x 425" l (When set up.) TOWING DIMENSIONS: 75" w x 108" h x 355" l (With wheels and hitch.)
MANUAL JACK & CROWDING TUB	WEIGHT: 5990 lbs. WORKING DIMENSIONS: 115" w x 98" h x 525" l (When set up.) TOWING DIMENSIONS: 75" w x 108" h x 460" l (With wheels and hitch.)	WEIGHT: 5070 lbs. WORKING DIMENSIONS: 115" w x 98" h x 425" l (When set up.) TOWING DIMENSIONS: 75" w x 108" h x 355" l (With wheels and hitch.)



HEAD GATE OPERATION HANDLE

- User-friendly handle that reduces operator's fatigue
- Handle can be situated anywhere along the side of the chute

3E Q-CATCH HEAD GATE [PATENTED]

- Uses light to draw cattle into the chute
- **NEW** barred style allows cattle to see light past the head gate
- Patented locking mechanism features infinite adjustments
- Self-lubricating head gate rollers are maintenance-free
- Opens to a full 30" top to bottom
- Single lever push-to-close, pull-to-open operation never requires adjustments




NEW Q-CATCH 87 SERIES MANUAL SQUEEZE CHUTE

EVEN QUIETER

- Q1 NEW** poly-coated slam latches
- Q2 NEW** poly bushings on all pivots and hinges, including access gates and vet doors
- Q3** Patent-pending flooring made with true virgin rubber from Goodyear®
- Q4** Caulking on all sheet metal panels
- Q5** Two rows of nylon rump fingers
- Q6** Includes rubber-coated fiberglass rump bar

REMOVABLE AND
CONFIGURABLE IN 7 WAYS



TWO ROWS OF RUMP FINGERS

- Second row of rump fingers on the bottom door enhance the ability to handle small calves
- Nylon rump fingers designed to endure high pressure
- Heavy-duty rubber-coated fiberglass rump bar that is light to use and does not slip

NEEDLE ACCESS [PATENT-PENDING]

- **NEW** drop-down needle bar allows for quick access to the neck

12.75" NEEDLE GATE
ACCESS TOP TO BOTTOM

CAN BE USED INDEPENDENTLY
OR TOGETHER



SQUEEZE

- Single lever push-pull operation
- Designed to work with cattle of any size
- Patented squeeze mechanism never requires adjustments

FLOORING [PATENT-PENDING]

- Maintenance-free, molded rubber flooring
- Quietest flooring system on the market today
- Fully replaceable



NEW DIRECT DRIVE SYSTEM [PATENT-PENDING]

- Enhanced design provides a direct connection from the control tube to the head gate
 - Provides instant head gate response time
 - Head gate operation can be easily converted* to the opposite side
- *Requires additional parts. See product manual.



VET DOOR

- Raised vet door height by 2"
- Improved slam latch ensures the door will not swing through when slammed shut

SWINGS 180° IN & OUT

EASY FLOW ALLEY

- Cradle-shaped alley prevents cattle of any size from turning around
- Scale platform compatible
- Narrows down the middle to work with the parallel squeeze
- Comes in 18' and 8' lengths
- Safety latches on the side panels add security when adjusting
- Spring-loaded locking system allows for easy adjustments



CABLES FOR ADJUSTMENTS
FROM EITHER SIDE

PANELS CAN
DROP DOWN IN
EMERGENCIES


REMOVABLE PANELS

ROLLING ALLEY GATES

- Rolling alley gates allow you to control the movement of cattle through the system
- Top-mounted tracks eliminate the issue of build-up
- Reversible offside & onside operation

COLLAPSIBLE TUB

- No assembly required
- Quick and easy set up
- Tub folds in itself for compact towing



NO TRIPPING HAZARDS

8' RADIUS

CAN BE USED AS CROWD
GATE

Shown with BudFlow Upgrade

PORTABLE SYSTEM FRAME [PATENT-PENDING]

- Engineered for durability during transport
- Most compact towing units in the industry
- Simple set-up and takedown

TRANSPORTATION


- Improved hitch has an added gusset for additional support, and the bracket can be adjusted into three different positions to work with different vehicles
- Simple set-up and take-down
- Available with 2 5/16" ball hitch or pin hitch

MANUAL
HITCH JACK

2" x 6" BEAMS

3" x 3" BEAMS

WHEELS INSTALLED/
REMOVED WITH TWO PINS



TOWING VS WORKING DIMENSIONS

TOP: 8718

BOTTOM: 8708




UPGRADES

3E BUDFLOW TUB

- All panels are sheeted low for better cattle flow and point of balance handling
- No assembly required
- Ability to add a load out or an additional section
- 3E door features panel clips to connect to other components like an alley, load-out, or calf table
- Folds into a narrow towing profile

NEW 3E PANEL
DOUBLES AS
MAN DOOR



NO TRIPPING
HAZARDS

REAR ELECTRIC JACKS [PATENT-PENDING]

- Single point of operation
- Electric jacks feature a 24V system, powered by two maintenance-free 12V Arrowquip AGM batteries connected in series
- Electric jacks can lift or lower the unit in under two minutes
- Also available with manual jack option, which lifts the entire unit with a single handle



ADD-ONS



NEW 3RD GENERATION HEAD HOLDER [PATENTED]

The head holder is a sturdy mechanism that clamps around the animal's neck and holds the head immobile. The head holder features single-lever push pull operation, and simplifies any procedure requiring access to the animal's head. The **NEW** 3rd generation head holder is more heavy-duty than previous models, and features new mechanical connections.




NEW STERNUM BAR

The sternum bar prevents cattle from going down in the chute. The improved design is sheeted to prevent hoof traps, and is easily installed or removed with 2 bolts.



NEW TRIMMING BAR

The trimming bar provides added safety when clipping cattle. You can adjust the position and angle of the bar along the side of the chute to suit your needs.



NEW ADDITIONAL REMOVABLE SIDE PANELS

These panels can be used to raise the sheet height of your alley to further control what cattle see. Eliminating distractions can greatly improve the efficiency of cattle flow through your system.



ANTI-BACKING BAR

An add-on you can install in an alley section to prevent cattle from backing up and disrupting the flow.

Arrowquip was founded in 1988 by the Firth family in Australia with the mission "To influence the livestock handling industry globally through the practical application of animal science and welfare standards, and increase producer safety and profitability with innovative equipment". This inspiration came while working cattle on their family ranch in Australia, due to the challenges they encountered with the lack of quality livestock handling solutions available to ranchers. As a forward-thinking family, they began to develop solutions to fill this gap in the market, and have been providing the high-quality livestock handling equipment producers are seeking ever since.

Arrowquip is the only manufacturer to employ a full-time team of engineers dedicated specifically to cattle handling in our industry. Every

piece of equipment we develop undergoes an extensive development period in which our R&D Team exhausts every possible avenue to make our equipment the best it can be for the handler to work their livestock. As a result, our equipment is recognized worldwide as the most innovative and thoughtfully designed livestock equipment in the market today.

In the last 30 years, Arrowquip has become a world-renowned manufacturer of cattle handling solutions known for their innovative designs, technological advancements, investment in animal science, and forward-thinking equipment. Our years of research, equipment development process, extensive testing periods, and the refusal to settle for "good enough" have set a new precedent within the livestock handling industry.

